

DIRECTORY OF COAL MINES IN ILLINOIS

Montgomery County

This directory accompanies the
Illinois Coal Mines map or maps for
this County.

Illinois Department of Natural Resources
ILLINOIS STATE GEOLOGICAL SURVEY

September 2008

DIRECTORY OF COAL MINES IN ILLINOIS

MONTGOMERY COUNTY

September 2008

Illinois State Geological Survey
Natural Resources Building
615 E. Peabody Drive
Champaign, Illinois 61820
Phone 217/244-2413
Fax 217/333-2830

INTRODUCTION

Coal has been mined in 73 counties in Illinois and more than 4500 coal mines have operated since commercial mining began in 1810. The Illinois State Geological Survey (ISGS) has compiled maps of known mines for each of these counties in order for the public to be able to identify mined areas, both underground and surface. These maps and the accompanying directories, which provide basic information about the mines, represent the most comprehensive compilation of available data. Please note however that the accuracy and completeness of the maps and directories varies depending on the availability and quality of source material. Little or no information is available for many of the mines, especially the older ones, because mining activity was not regulated or documented until the late 1800's. Even then, reporting requirements were minimal. In addition to the county mined-out area maps, we have copies of many of the original mine maps on microfilm; in situations requiring more precise delineation of mined areas, these maps should be consulted. The maps and directories are continually being updated and we welcome any corrections or new information. Please contact the ISGS Coal Section at 217/333-7256 if you have such information.

MINE MAPS

The mined areas are shown on county base maps at a scale of 1:100,000.

Three items of mine information are shown on the maps: an index number that identifies the mine in the directory, a symbol that marks the 'location' of the mine, and an outline of the mined area if that is known. The location is almost always the site of the main mine opening or, in the case of surface mines, the location of the tippie (coal washing and storage facility). The type of symbol indicates whether the opening is a shaft, drift, or slope and whether the mine is active or abandoned. Another symbol represents a mine with an uncertain portal and/or unknown location. When the exact location is unknown, the symbol is placed in the center of the section or quarter section in which the mine was reported to exist. If a mine cannot be located within a section, it is not shown on the map, but is listed in the directory. In cases where mines overlap county boundaries, the county mine map will show the part of the mine that is located in that county; however, the directory will not list the mine unless the official location (main shaft or tippie) is in that county. This is due to the way the data is stored in the computer database.

The boundaries of the mined out areas are also shown for most of the mines; however, for some mines the only information available is the location of the main opening. There are three types of mined areas--underground, surface, and indefinite--which are shaded with different patterns. The indefinite areas, which have been plotted from sketchy or incomplete information, usually are underground workings, although the directory should be consulted to determine the specific mine type. These maps also show large blocks of unmined coal within the mine, when that information is available.

For most counties, one map shows all known mines. However, in Gallatin, Saline, and Williamson Counties, several seams have been extensively mined. For the sake of readability, separate maps have been produced for the mines in each seam. Mines in the Herrin coal are shown on one map, those in the Springfield are shown on another, and the mines in all other coals are shown on a third map. In Vermilion County, the mines that operated in the Herrin and the Danville coals are presented on separate maps. For some counties, insets have been added to show complex areas of mining at a larger scale (1:50,000).

MINE DIRECTORIES

Each county directory is keyed to the mine map by the mine index number; the directory provides basic information about the coal mines shown on the map. The data have been compiled from a variety of sources such as the annual Coal Report of the Illinois Office of Mines and Minerals and field notes taken by ISGS geologists. Three tables of information are provided with each directory. They contain the same data, but are sorted on different information so that the user can easily look up a mine using whatever information he has. Table 1 is sorted by mine index number, which makes it easy to find information for mines identified on the map. Table 2 is sorted alphabetically by mine name. If the user knows the name of a mine, he or she can use that to look up the location and index number, making it easy to find on the map. Table 3 is sorted by location, which is a convenient way to find information about mines that operated in a particular area. Following is a more detailed description of the information in Tables 1, 2, and 3. A blank in any column indicates that the item of information is not available. In Tables 2 and 3, mines for which the key item of information is missing (name and location respectively) are listed first. Again, we welcome any additional information that you may have.

ISGS Index Each mine in the state is identified with a unique number; this number is shown on the map and is the link between the map and the directory. The number is permanently assigned to a mine regardless of changes in the mine name, ownership, or operator. Active mines are identified with an asterisk after the index number.

Company Name A mine may have been operated by more than one company or the operating company may have changed its name. Separate entries in the directory show each name and the years of operation under the name. In many instances, names have been abbreviated to fit within the space available.

Mine Name and Mine Number An entry is included for each name and/or number the mine operated under, even if the company name remained the same. Many companies use the same name for all their mines, but differentiate them by number. Again, abbreviations have been used where necessary.

Mine Type Underground mines are either "shaft," "slope," or "drift" which refers to the type of opening used to remove the coal from the mine. In shaft mines the coal is removed through a vertical shaft. Slope designates mines in which the coal is removed via a sloping incline from the ground surface to the mining level. In slope mines, miners and equipment may use either the slope or a vertical shaft to get into the mine. A drift mine is an underground mine that is excavated where the coal outcrops in the side of a bluff or the highwall of a surface mine. The mine type for surface mines is "strip" because these mines are more commonly called "strip mines."

Method This refers to the pattern by which the coal was removed. Most underground mines in Illinois have used a type of room and pillar pattern, the areas where the coal is removed are the 'rooms' with 'pillars' of coal left in place to support the roof. In some mines, the pillars were later pulled to extract additional coal. The abbreviations are listed below and most are illustrated in Figure 1.

RP	Room & Pillar; specific type unknown
RP*	Room & Pillar; some pillars pulled
RPB	Room & Pillar Basic; irregular panels, typical of old mines
MRP	Modified Room & Pillar; a somewhat more regular pattern than Room & Pillar Basic
RPP	Room and Pillar Panel; similar to Modified Room & Pillar
BRP	Blind Room and Pillar; every 6th or 7th room is left unmined to provide additional support
CRP	Checkerboard Room and Pillar; evenly spaced large pillars
LW	Longwall; all coal is removed
	Old longwall mines were backfilled with rock to provide support
	Modern longwall mines allow roof to collapse behind as mining progresses
HER	High Extraction Retreat; another modern method that removes a high percentage of coal

Years Operated Years that the mine operated; these dates may include periods when the mine was idle or not in full operation. Dates of mining from different sources are sometimes contradictory. The conventions that we have used to indicate where we were uncertain of dates are as follows. If we know the full range of dates that a mine operated under a specific name, those are given (1928-34). If we know when a mine last operated, but not when it began, we use a dash and end date (-1934). If we know that a mine operated in a particular year, but not when it opened or closed, we just give the year we know (1920). To avoid confusion with the previous case, if a mine opened and closed in the same year, the year is repeated (1926-26). In cases where a mine operated under different names, but we don't know when the name change occurred, the full range of dates is given for all names (John Smith Sr. Mine 1913-44, Bill Smith Mine 1913-1944). A blank indicates that we have no information on the dates that the mine operated.

Coal Seam Mined The seam name is that used by the Illinois State Geological Survey. Figure 2 shows these coal seams in a stratigraphic column and provides a cross-reference to other names commonly used for these coals. If a mine has operated in more than one seam, there are separate entries in the table for each seam mined.

Location The location given is the site of the main portal or, for surface mines, the tipple. The location is based on the Congressional Land Survey System of townships and sections. Townships are identified by a township (north-south) and range (east-west) designation such as T14N, R6E. Townships are subdivided into approximately 36 one-square-mile sections, which are numbered from 1 to 36.

ORDERING INFORMATION


These Illinois State Geological Survey, County Coal Mine Maps are not available for all counties. 1:100,000 scale color plot with the directory is available at a cost of \$10.00. This can be ordered by contacting the Information Office at (217) 244-2414 or isgs@geoserv.isgs.uiuc.edu.

ACCURACY OF MAP


Most of the map data were compiled and digitized at a scale of 1:62,500. Locations of some features may be offset by 500 feet or more due to errors in the original source maps, the compilation process, digitizing, or a combination of these factors. The Illinois State Geological Survey does not guarantee the validity or accuracy of these data.




(A) room and pillar basic (RPB)



(B) modified room and pillar (MRP)




(C) room and pillar panel (RPP)




(D) blind room and pillar (BRP)


FIGURE 1 Mining Methods




(E) checkerboard room and pillar (CRP)



(F) high extraction retreat



(G) early (pre-1960) longwall




(H) post-1959 longwall

Figure 1(cont.) Mining Method

Figure 2: Coal seam names

Official ISGS Name	Other names
Wade	Newton
Trowbridge	
Calhoun	
Shelbyville	Fancher
Opdyke	
Belle Rive	
Louden	
Friendsville	
Bristol Hill	Flat Rock, Birds
Flannigan	
Chapel	No. 8, Ditney
Danville	No. 7, Cutler, Sparland
Jamestown	
Herrin	No. 6, Grape Creek
Briar Hill	No. 5a
Springfield	No. 5, Harrisburg
Houchin Creek	No. 4, Summum
Kerton Creek	
Survant	
Lowell	No. 2a, Shawneetown
Cardiff	
Colchester	No. 2, LaSalle
Seelyville	
Dekoven	
Davis	
Wiley	
"Seahorne"	Campbell Hill
Wise Ridge	Stonefort
Mt. Rorah	Bald Hill
Murphysboro	
New Burnside	
Delwood	
Bidwell	
Rock Island	Curlew
Litchfield	No. 1
Assumption	
Willis	
Bell	Ice House
Reynoldsburg	

Generalized Stratigraphic Section showing approximate vertical relations of coals in Illinois.



DIRECTORY OF COAL MINES FOR MONTGOMERY COUNTY, ILLINOIS (September 2008)

ISGS INDEX	COMPANY NAME	MINE NAME	MINE NO.	MINE TYPE	METHOD	YEARS OPERATED	SEAM MINED	COUNTY	LOCATION		
									TWP	RGE	SEC
76	SHOAL CREEK COAL CO.	PANAMA	1	SHAFT	RPP	1906-1925	HERRIN	MONTGOMERY	7N	4W	22
76	COSGROVE-MEEHAN COAL CO.	COSGROVE-MEEHAN	5	SHAFT		1925-1933	HERRIN	MONTGOMERY	7N	4W	22
77	MONTGOMERY COUNTY COAL CO.	TAYLOR SPRING	1	SHAFT	RPP	1908-1912	HERRIN	MONTGOMERY	8N	4W	23
77	PEABODY COAL CO.	PEABODY	15	SHAFT		1912-1915	HERRIN	MONTGOMERY	8N	4W	23
77	C. & E. I. COAL PROPERTIES	C. & E. I.	15	SHAFT		1917-1918	HERRIN	MONTGOMERY	8N	4W	23
77	ILLINOIS COAL PROPERTIES	TAYLOR SPRING	15	SHAFT		1918-1919	HERRIN	MONTGOMERY	8N	4W	23
77	INDIANA & ILLINOIS COAL CORP	INDIANA & ILLINOIS	15	SHAFT		1919-1923	HERRIN	MONTGOMERY	8N	4W	23
194	PEABODY COAL CO.	NOKOMIS	1	SHAFT	RPP	1906-1915	HERRIN	MONTGOMERY	10N	2W	10
194	C. & E. I. COAL PROPERTIES	C. & E. I.	10	SHAFT		1915-1918	HERRIN	MONTGOMERY	10N	2W	10
194	ILLINOIS COAL PROPERTIES	ILLINOIS	10	SHAFT		1918-1919	HERRIN	MONTGOMERY	10N	2W	10
194	INDIANA & ILLINOIS COAL CORP	INDIANA & ILLINOIS	10	SHAFT		1919-1939	HERRIN	MONTGOMERY	10N	2W	10
195	NOKOMIS COAL CO.	RELIANCE	1	SHAFT	RPP	1913-1922	HERRIN	MONTGOMERY	10N	2W	27
195	ILLINOIS COAL CORP.	ILLINOIS COAL	9	SHAFT		1922-1925	HERRIN	MONTGOMERY	10N	2W	27
195	idle	RELIANCE	1	SHAFT	RPP	1925-1935	HERRIN	MONTGOMERY	10N	2W	27
195	NOKOMIS C C	RELIANCE	1	SHAFT	RPP	1936-1952	HERRIN	MONTGOMERY	10N	2W	27
196	MONTGOMERY COAL CO.	MONTGOMERY		SHAFT	RPP	1897-1904	HERRIN	MONTGOMERY	9N	2W	6
196	DERING COAL CO.	DERING	25	SHAFT		1904-1905	HERRIN	MONTGOMERY	9N	2W	6
196	BURNWELL COAL CO.	BURNWELL	24	SHAFT		1905-1912	HERRIN	MONTGOMERY	9N	2W	6
196	PEABODY COAL CO.	PEABODY	12	SHAFT		1912-1917	HERRIN	MONTGOMERY	9N	2W	6
196	C & E I COAL PROPERTIES	C & E I	12	SHAFT		1917-1918	HERRIN	MONTGOMERY	9N	2W	6
196	ILLINOIS COAL PROPERTIES	ILLINOIS	12	SHAFT		1918-1919	HERRIN	MONTGOMERY	9N	2W	6
196	INDIANA & ILLINOIS COAL CORP	INDIANA & ILLINOIS	12	SHAFT		1919-1925	HERRIN	MONTGOMERY	9N	2W	6
197	KORTKAMP COAL CO.	KORTKAMP		SHAFT	MRP	1904-1912	HERRIN	MONTGOMERY	8N	3W	5
197	PEABODY COAL CO.	PEABODY	11	SHAFT		1912-1915	HERRIN	MONTGOMERY	8N	3W	5
197	C & E I COAL PROPERTIES	C & E I	11	SHAFT		1915-1918	HERRIN	MONTGOMERY	8N	3W	5
197	ILLINOIS COAL PROPERTIES	ILLINOIS	11	SHAFT		1918-1919	HERRIN	MONTGOMERY	8N	3W	5
197	INDIANA & ILLINOIS COAL CORP	INDIANA & ILLINOIS	11	SHAFT		1919-1924	HERRIN	MONTGOMERY	8N	3W	5
282	CONSOLIDATED COAL & COKE CO.	MT. OLIVE		SHAFT	RPP	1887-1889	HERRIN	MACOUPIN	7N	6W	1
291	HILLSBORO COAL CO.	HILLSBORO		SHAFT	MRP	1888-1937	HERRIN	MONTGOMERY	8N	4W	12
291	HILLSBORO MINING CO.	HILLSBORO		SHAFT	MRP	1937-1941	HERRIN	MONTGOMERY	8N	4W	12

DIRECTORY OF COAL MINES FOR MONTGOMERY COUNTY, ILLINOIS (September 2008)

ISGS INDEX	COMPANY NAME	MINE NAME	MINE NO.	MINE TYPE	METHOD	YEARS OPERATED	SEAM MINED	COUNTY	LOCATION		
									TWP	RGE	SEC
335	BURNWELL COAL CO.	BURNWELL	22	SHAFT	RPP	1907-1911	HERRIN	MONTGOMERY	10N	2W	32
335	PEABODY COAL CO.	PEABODY	14	SHAFT	RPP	1911-1915	HERRIN	MONTGOMERY	10N	2W	32
335	C & E I COAL PROPERTIES	C & E I	14	SHAFT	RPP	1915-1918	HERRIN	MONTGOMERY	10N	2W	32
335	ILLINOIS COAL PROPERTIES	ILLINOIS	14	SHAFT	RPP	1918-1919	HERRIN	MONTGOMERY	10N	2W	32
335	INDIANA & ILLINOIS COAL CORP	INDIANA & ILLINOIS	14	SHAFT	RPP	1919-1921	HERRIN	MONTGOMERY	10N	2W	32
442	CLOVER LEAF COAL MNG. CO.	CLOVER LEAF	2	SHAFT	RPP	1906-1916	HERRIN	MONTGOMERY	7N	3W	3
442	COFFEEN COAL MNG. CO.	COFFEEN	2	SHAFT	RPP	1916-1920	HERRIN	MONTGOMERY	7N	3W	3
442	CLOVER LEAF COAL CO.	CLOVER LEAF	4	SHAFT	RPP	1920-1924	HERRIN	MONTGOMERY	7N	3W	3
693	PEABODY COAL CO.	PEABODY	10	SLOPE	BRP	1951-1994	HERRIN	CHRISTIAN	13N	4W	10
707	FREEMAN COAL MNG CORP	CROWN	1	SHAFT	RPP	1951-1971	HERRIN	MONTGOMERY	12N	5W	34
714	LITCHFIELD MNG & POWER CO	LITCHFIELD		SHAFT	RPB	1894-1896	LOWELL	MONTGOMERY	9N	5W	32
714	LITCHFIELD MNG & POWER CO	LITCHFIELD		SHAFT	MRP	1896-1904	LITCHFIELD	MONTGOMERY	9N	5W	32
714	ILLINOIS COLLIERIES CO.	ILLINOIS COLLIERIES	7	SHAFT	MRP	1904-1908	LITCHFIELD	MONTGOMERY	9N	5W	32
714	LITCHFIELD COAL CO	LITCHFIELD	7	SHAFT	MRP	1908-1913	LITCHFIELD	MONTGOMERY	9N	5W	32
714	LITCHFIELD COAL MNG. CO.	LITCHFIELD	7	SHAFT	MRP	1920-1925	LITCHFIELD	MONTGOMERY	9N	5W	32
714	LITCHFIELD COAL MNG. CO.	LITCHFIELD		SHAFT	RPB	1920-1925	LOWELL	MONTGOMERY	9N	5W	32
871	TRUAX TRAER COAL CO.	HILLSBORO		SHAFT	RPP	1964-1970	HERRIN	MONTGOMERY	7N	3W	14
871	CONSOLIDATION CC,MIDWEST DIV	HILLSBORO		SHAFT	RPP	1971-1983	HERRIN	MONTGOMERY	7N	3W	14
933	FREEMAN UNITED COAL MNG CO	CROWN	2	SHAFT	RPP	1976-2007	HERRIN	MACOUPIN	12N	6W	23
996	FREEMAN UNITED COAL MNG CO	CROWN	3	SHAFT	RPP	1981-	HERRIN	MACOUPIN	11N	6W	1
3001	COFFEEN COAL & COKE CO.	COFFEEN		SHAFT	RPB	1889-1901	HERRIN	MONTGOMERY	8N	3W	35
3001	CLOVER LEAF COAL CO.	CLOVER LEAF	1	SHAFT	RPB	1901-1908	HERRIN	MONTGOMERY	8N	3W	35
3002	AMALGAMATED COAL & TIMBER	AMALGAMATED		SHAFT	LW	1869-1873	LOWELL	MONTGOMERY	8N	5W	3
3002	LITCHFIELD COAL CO.	LITCHFIELD		SHAFT	LW	1873-1894	LOWELL	MONTGOMERY	8N	5W	3
3002	LITCHFIELD MNG. & MFG. CO.	LITCHFIELD		SHAFT	LW	1894-1899	LOWELL	MONTGOMERY	8N	5W	3
3003	RAYMOND MINING CO.	RAYMOND		SHAFT	RP	1897-1898	HERRIN	MONTGOMERY	10N	4W	8
3003	JAMISON (WILLIAM) COAL CO.	JAMISON		SHAFT	RP	1898-1899	HERRIN	MONTGOMERY	10N	4W	8
3003	PROGRESSIVE COAL CO.	PROGRESSIVE		SHAFT	RP	1899-1901	HERRIN	MONTGOMERY	10N	4W	8

DIRECTORY OF COAL MINES FOR MONTGOMERY COUNTY, ILLINOIS (September 2008)

ISGS INDEX	COMPANY NAME	MINE NAME	MINE NO.	MINE TYPE	METHOD	YEARS OPERATED	SEAM MINED	COUNTY	LOCATION		
									TWP	RGE	SEC
3003	RAYMOND COAL CO.	RAYMOND		SHAFT	RP	1901-1903	HERRIN	MONTGOMERY	10N	4W	8
3003	MILLER COAL CO.	MILLER		SHAFT	RP	1903-1907	HERRIN	MONTGOMERY	10N	4W	8
3003	HARDIN (H. H.)	HARDIN		SHAFT	RP	1907-1908	HERRIN	MONTGOMERY	10N	4W	8
3003	KELLY (G. I.)	KELLEY		SHAFT	RP	1908-1909	HERRIN	MONTGOMERY	10N	4W	8
3003	RAYMOND COAL CO.	RAYMOND		SHAFT	RP	1909-1910	HERRIN	MONTGOMERY	10N	4W	8
3004	FARMERSVILLE COAL MNG. CO.	FARMERSVILLE	1	SHAFT	RPP	1907-1915	HERRIN	MONTGOMERY	11N	5W	4